Alpha Modalities

Hardware and Installation Services Catalog

January 2013

Table of Contents

CEILING HOISTS				
AM-Hoist-625	Continuous Charge Fixed DC Hoist SWL 625 Lb/ 284 Kg	•		4
AM-Hoist-1000	Continuous Charge Fixed Bariatric DC Hoist SWL 1000 Lb/454 Kg	•		5
AM-RiseAtlas-625	Continuous Charge Fixed DC Hoist with Quick Release SWL 625Lb / 284Kg			6
EL015-01940	Luna Fixed DC Hoist with Quick Release SWL 600 Lb / 272 kg			7
ML-Nomad	Nomad Portable Ceiling Hoist SWL 560 Lb / 255 Kg			8
CEILING HOIST HARDWARE / INSTALLATION				
AM-HangerBars	Aluminum White Powder Coated Hanger Bars	•	•	9
AM-Rails	Aluminum Ceiling Rail Options	•	•	10
Rail Hardware	Ceiling Rail Anchoring and Electrical Parts	•	•	11
Ceiling Rail Installation	Installation Pricing (Retrofit Rooms)			13
AM-PortableLiftFrame*	Portable Aluminum Lift Frame SWL 272 Kg (Midi rail) or 454 Kg (Jumbo Rail)	•	•	14
DEPENDENT (PASSIVE) FLOOR HOISTS				
HC-2500	Handicare MultiLift550			15

* GSA Schedule Contract V797P-4328B

MADE IN USA

Table of Contents (cont.)

SEMI-DEPENDENT (SIT/STAND) FLOOR HOISTS				
HC-QuickMove	Handicare QuickMove Non-Powered Sit/Stand			16
HC401100334	Handicare Mini 200 Powered Sit/Stand SWL 440 Lb/ 200 Kg			17
LATERAL TRANSFER PRODUCTS				
Hoverjack System™	Hoverjack 32" and 39" wide. Evacuation Sheet Option (32" only)	•		18
Hovermatt System™	Hovemat Heat Sealed, Double Coated and Single Patient Use (multiple options)	•		19
PARTS LIST FOR DISCONTINUED PRODUCTS				
GH2HD	Parts for GH2HD Hoist (AC and DC)			20
ML-Partner/Mover 300	Parts for Molift Partner 250 and Molift 300			21
ML-Smart	Parts for Molift Smart			22
ML-QuickRaiser 2+	Parts for Molift QuickRaiser 2+			23
Linak Parts	Linak Electrical Parts for Omega 300 and Q-Stand	•		24

Alpha Modalities LLC
10002 Aurora Ave N # 36
PMB 3326
Seattle WA 98133
Phone 800 | 273 | 5749
Fax 206 | 374 | 2476

info@alphamodalities.com
www.alphamodalities.com

AM-Hoist-C625

- Continuous Charge (CC) DC Hoist.
- CSA$_{US}$ labeled hoist & charging system.
- **Includes:** Pneumatic 2-button Hand Control, Charger & 2-point OR 4-point Hanger Bar.
- **Safety features:** ER stop pull cord, electce Display.
- Compatible with AM-Midi and AM-Jumbo rails.
- SWL 625 Lb / 284 Kg (Single Unit).
- SWL 1000 Lb / 454 Kg (Dual Unit).
- Two year warranty**

Item #
AM-Hoist-C625

AM-HangerBar-4P-C
Mini four-point aluminum
Hanger bar / clevis attachment

AM-HangerBar-2P-C
Mini two-point aluminum
Hanger bar / clevis attachment

PSM610512
C-Lift Charger

PSM670550
Charger Wall Box - Soniel

PSM440112
C-625 Main PCB

PSM635065
Motor/Gearbox/Gear

PSM610446
Limit switch cable assembly

PSM413743
C-Series Lift strap

PSM635600
2-Button pneumatic
Hand control with hook

** Specification is subject to change without notice.*
*** Excludes Batteries.*

MADE IN USA

AM-Hoist-C1000

- Continuous Charge DC Hoist.
- CSA$_{US}$ labeled hoist & charging system.
- **Includes:** Pneumatic 2-button Hand Control, Charger & Bari 4-point quick release Hanger Bar.
- **Safety features:** ER Stop Pull Cord, electrical & manual ER Lower, visual charge diagnostic & maintenance Display.
- Compatible with AM-Midi and AM-Jumbo rails.
- SWL 1000 Lb / 454 Kg.
- Two year warranty**

Item #
AM-Hoist-C1000

** Specification is subject to change without notice.*
*** Excludes Batteries.*

MADE IN USA

Handicare RiseAtlas 625

- Compact designed Continuous Charge DC Hoist.
- Unique QuickTrolleySystem allows twist release of hoist to service or move to another location.
- Night light for increased convenience and security when lights are out.
- Ergonomic 4-Button Hand Control.
- **Safety Features:** Emergency Stop and Lower Pull Cord, Overload Warning Light, Service Light.
- Includes a 4-point or a 2-point swing thru Hanger Bar.
- Compatible with AM-Midi and AM-Jumbo Rails.
- SWL 625 Lb / 284 Kg (Single Unit).
- SWL 1000 Lb / 454 Kg (Dual Unit).
- Two-Year Warranty**

Ergonomic 4-Button Handset

Quick Release Trolley

Item #
AM-RiseAtlas625

Night Light

QuickTrolleySystem™ Rotation

* *Specification is subject to change without notice.*
** *Excludes Batteries.*

Ergolet Luna

- Fixed Hoist with Quick Twist Release.
- QPS listed/labeled Hoist & Charger.
- Safety Features: ER Stop, ER Lower, Visual Charge Indicator, Handset Lockout function, Low Battery Indicator.
- SWL 600 Lb / 272 Kg.
- Compatible with AM-MidiRail and AM-JumboRail.
- Two-year Warranty**

Part#
EL015-01940

EL016-02033
Bayonet Trolley
(Fixed Configuration)

EL015-01985
Strap 4-point Hanger Bar
(Fixed configuration)

EL015-01990
Strap 3-point Hanger Bar
(Fixed Configuration)

EL015-01984
Hanger Bar double rings
Room-Room L-58cm

EL019-00708
QPS Luna Charger Wall/Table



EL259-00101
Print Card

EL015-02025
Battery Pack 36V

EL015-01943
QPS Hand Control
Top Cord

** Specification is subject to change without notice.*
*** Excludes Batteries.*

Molift Nomad

- Portable ceiling hoist with Snap Hook.
- Integrated 4-point attachment.
- CSAus listed/labeled hoist and DC charger.
- Includes: Hand Control, Charger & 1ea Portable Trolley.
- Safety features: ER stop, ER lower, visual charge indicator, visual service indicator.
- Compatible with AM-Midi and AM-Jumbo rails.
- Requires portable trolley in each rail system.
- SWL 560 Lb / 255 KG.
- Two year Warranty**

Item#
ML-Nomad

AM-PortableTrolley
Traveling Trolley

ML-Flexi-Link-2
Reacher Arm
(Replaces carabiner)

ML1220195
Strap w/snap hook

ML2017002
Two function hand control

ML1240100
Battery Charger

ML1220115
Battery

ML1220112
PCB with DNA plug

* *Specification is subject to change without notice.*
** *Excludes Batteries.*

AM-HangerBar

- Lightweight high grade recyclable aluminum.
- White Powder coated.
- Two attachment options for hoist compatibility.
- Five-Year warranty.

Hanger Bar Types	Attachment Options	
	Shackle	Round Clevis
Two-point Hanger Bar SWL 300 KG/ 660 Lb	AM-HangerBar-2P-S	AM-HangerBar-2P-C
Four-Point Hanger bar SWL 300 Kg/ 660 Lb	AM-Hangerbar-4P-S	AM-Hangerbar-4P-C
 Bariatric Four-Point Hanger Bar SWL 454 Kg/ 1000 Lb	AM-BariHangerBar	NOT AVAILABLE

* *Specification is subject to change without notice.*

AM Ceiling Rails

- Made with high-grade extruded aluminum, that meets current standards of the Aluminum Association (www.aluminum.org).
- Acid Etched & Clear-Anodized- polished and scratch-free finish.
- Strict quality assurance including stamped structural drawings provided by Lund, Wright & Opsahl (http://lwo-se.com/).

Item#	Description	Span Between Anchor Points / SWL
AM-Midi-15CC	• Midi Rail Aluminum 15 feet • With CC sliding liner installed. • Continuous charge (CC) systems	11' 6" - SWL 600 Lb / 272 Kg 8' 3"- SWL 1000 Lb/ 454 Kg
 AM-Midi-S-15	• Midi Rail Aluminum 15 feet. • Smooth interior trolley chamber for DC charge systems with designated parking spot.	11' 6" - SWL 600 Lb / 272 Kg 8' 3"- SWL 1000 Lb/ 454 Kg
 AM-Midi-S-15CC	• Midi Rail smooth Aluminum 15 feet • CC liner tape liner installed. • Continuous charge (CC) systems	11' 6" - SWL 600 Lb / 272 Kg 8' 3"- SWL 1000 Lb/ 454 Kg
 AM-Jumbo-20	• Jumbo Rail Aluminum 20 feet • Direct charge (DC) Systems • Also available with CC liner tape for Continuous Charge Hoist Systems (AM-Jumbo-20CC)	20' - SWL 600 Lb/ 272 Kg 17" 2" - SWL 1000 Lb/ 454 Kg

** Specification is subject to change without notice.*

Ceiling Rail Hardware

	Item#	Description
	AM-WallProfile	• Wall profile White No Feet • SWL 1000 Lb/454Kg (rail on top of bracket) • Compatible with AM-Midi and AM-Jumbo rails
	AM-WallBracket	• Wall bracket rail end • Compatible with AM-Midi and AM-Jumbo rails
	AM-StdBracket	• Standard ceiling bracket • Straight- curve rails • Compatible with AM-midi and AM-Jumbo rails
	AM-Drop-w/stabilizer	• Extended ceiling drop with stabilizer drop. • Configuration subject to stamped structural drawings specific to application.
	AM-TTrolley	• Traverse Trolley • Compatible with AM-Midi and AM-Jumbo rails • SWL 600 Lb/ 272 Kg
	AM-BariTrolley	• Traverse Trolley for Bariatric layouts. • Compatible with AM-Midi and AM-Jumbo rails • SWL 1000 Lb/ 454 Kg

* *Specification is subject to change without notice.*

MADE IN USA

Ceiling Rail Hardware (cont.)

	Item#	Description
	AM-PortableTrolley	• Portable Trolley • Compatible with AM-Midi and AM-Jumbo rails • SWL 272 Kg (600 Lbs)
	AM-IVHook	• IV Hook • Requires AM-PortableTrolley (sold separately). • Compatible with AM-Midi and AM-Jumbo rails.
	AM-EndStop	• End stop. • Compatible with AM-midi and AM-Jumbo rails.
	NEMS384	• Charging kit for continuous charge system (both AC/DC) • Compatible with AM-Midi & AM-Jumbo rails.
	NEMS387	• Charging kit for DC systems. • Compatible with AM-Jumbo rail.

** Specification is subject to change without notice.*

MADE IN USA

Retrofits - Existing Patient Rooms

Set-Up Fee

- $1000* Initial Site Set Up / Preparation.
- Setup fee is charged each time team is idled for a period of sixteen (16) hours or longer after the prior installation has been completed.

Acoustic Tile Ceiling

- $425.00* per drop with up to two (2) stabilizers.
- $650.00* per drop with trapeze and one (1) stabilizer.

Hard-Lid- access (hatch must be within eight (8) feet of room)

- $500.00* per drop - no stabilizer
- $600.00* per drop with one (1) stabilizer

Wall Profile

- $300.00* per wall profile standard
- $350.00* per wall profile standard - molding cuts

Travel Per-Diem

- Applies to a team of two if the travel radius is greater than One Hundred Fifty (150) .miles from Tacoma Washington.
- Charge of $175.00* per day applies for team of two (2) installers , tools and truck

Exclusions

- Stamped structural drawings.
- Special Infection Control protocols.
- Permits as may be required by state, county or city.
- Mono Coat repairs.
- Third Party Inspections.
- Electrical Plug relocations.

NOTE: All scrap aluminum and other metal parts are recycled locally and 100% of the funds are donated to local food banks, with the company matching the donation dollar for dollar.

* *Specification subject to change without notice.*

AM-PortableLiftFrame

- Portable free-standing and height adjustable Ceiling Lift Frame –powder coated in white.
- Height ranges from 59" to 96".
- Leg width 46".
- Can be used as a temporary overhead track or permanent mount to floor by removing legs/casters.
- Compatible with AM-Midi rails (maximum length 11 feet / SWL 272 Kg).
- Compatible with AM-Jumbo Rails (Maximum length 15 feet / SWL 454 Kg).
- Custom length cut included for your specific application.
- Compatible with both fixed and portable motors
- **Optional** - Both AM Midi & AM Jumbo can be configured with charging liner for continuous charge Hoist.
- May be used with two ceiling hoists for bariatric applications (AM-Jumbo Rail only).
- **Basic System includes**: 2ea Upright Supports, 2ea Legs with Casters, 2ea Trip Hazard Bars, 2ea Rail Connectors, 2ea Endstops and 1 ea Rail cut to desired length with Rail Covers.
- Five-year warranty.

BASIC 272 KG (AM-Midi Rail) SYSTEM

BASIC 454 KG (AM-Jumbo Rail) SYSTEM

AM-UprightSupport

AM-Leg&Casters

AM-TripHazardBar

AM-JumboRailConnector

AM-MidiRailConnector

* *Specification is subject to change without notice.*

Handicare MultiLift-550

- Unique total lift for dependent transfers.
- Very functional for vehicle transfers.
- Power Driver Motor Base- eliminates push-pull with patient in lift. Driver works on tile or carpet.
- Built-in digital scale.
- 2-point hanger bar (4-point optional).
- CE listed and labeled.
- Large Capacity Battery System.
- Built-in Sensors to prevent lift damage.
- SWL 550 Lb/ 250 Kg.
- One-Year Warranty.**

Part#
HC-2500

* *Specification is subject to change without notice.*
** *Excludes Batteries.*

Handicare QuickMove

- Non-powered Sit/Stand for semi-dependent patients who can pull themselves to standing position.
- Spray wipe paddle seats (swing away and flip-up).
- Manual V-Spread base using ergonomic foot pedals
- Removable foot plate.
- Tilt adjust seat for low surface transfers.
- Adjustable knee pads.
- CE mark.
- One-Year Warranty.

Part#
HC-QuickMove

Ergonomic Foot Pedals

Swing-away and Flip-Up Paddle Seats

Removable Foot Plate

* *Specification is subject to change without notice.*

Handicare Mini 200

- Power Sit/Stand Lift for semi-dependent patients.
- ETL listed/labeled.
- V-Spread Electric Base.
- Lockable Back Wheels.
- Adjustable Lift Arm.
- Adjustable Knee Pads.
- Removable Foot Plate for ambulation.
- Safety Features: Electronic and Mechanical lower, ER Stop, Visual Battery Indicator.
- Built-in Linak Battery Pack.
- SWL 440 Lb/ 200 Kg.
- One-Year Warranty**

Part#
HC401100334

V-Spreadable Electric Base/ Adjustable Lift Arm

Emergency Stop/Lower Button

* *Specification is subject to change without notice.*
** *Excludes Batteries.*

Hoverjack System™

- Designed to lift a patient who has fallen on the floor up to bed height.
- Lifts patient in a supine position minimizing possibility of further injury.
- Works well in confined areas.
- Four inflatable chambers to control lifting height.
- Four CPR valves to deflate in case of emergency.
- Transport sheet included.
- Available in 32" and 39 " wide.
- Evacuation version includes foot pouch to secure patient when transported down a stairwell (HJ32EV only).
- SWL 1200 Lb (544 Kg).
- UL-labeled Air Supply compatible with Hovermatt system (sold separately)
- Convenient storage cart (sold separately).
- One-year warranty.

Part#	Description
HJ3202	32" wide Hoverjack
HJ32EV	32" wide Hoverjack with Evacuation Pocket
HJ3902T	39" wide Hoverjack

HTIAIR1200
Air supply

HJC200
Hoverjack Cart

INTEGRATED Health Systems

CUSTOM LABEL
Heat Sealed/ Double Coated only
Min order 100 ea

** Specification is subject to change without notice.*

MADE IN USA

Hovermatt System™

- Reduces force required for lateral transfers up to 93%.
- UL-Labeled Air Supply Pump- can be used with all Hovermatt models.
- Radiolucent- Compatible with X-ray and MRI.
- No weight limit- Four widths available (28", 34", 39 " and 50") to accommodate patient girth.
- Heat-Sealed to address infection control concerns.
- Universal Air Supply Pump (sold separately).
- Double Coated model is water repellent and stain resistant (ideal for the OR and ED).
- Single Patient Use available in 34", 39" and 50" width (half length available in 34" & 39").
- One-year Warranty.

HEAT SEALED
HM34HS
HM39HS
HM50HS
HMMINI34HS

DOUBLE COATED
HM34DC
HM39DC
HM50DC
HMMINI34DC

SINGLE PATIENT USE
HM34SPU (10ea)
HM34SPU-HLF (10ea)
HM39SPU (10ea)
HM39SPU-HLF(10ea)
HM50SPU (5ea)
HM50SPU (1ea)

HTIAIR1200
Air supply

HMC100
Hovermatt Cart

INTEGRATED
Health Systems

CUSTOM LABEL
Heat Sealed
& Double Coated only
Min order 100 ea

** Specification is subject to change without notice.*

MADE IN USA

Guldmann Gh2HD™ Series

GD935054-4
Two Function Hand Control

AM-HangerBar-2P
Two-Point Aluminum Hanger Bar

AM-HangerBar-4P
Mini Four-Point Aluminum Hanger Bar

GD126838
Strap W/Snap Hook

GD93452
Gh2hd UI Circuit Board

AM-HoistBattery
Battery 12v

AM-Transformer
AC UL Transformer

GD937026
DC UI Charger w/Power Cord

NEMS340-HD
Digital Scale
SWL 1000 Lb / 450 Kg

** Specification is subject to change without notice.*

Molift Mover 300-A/ Partner 250

ML2013004
Hand Control

ML1340100
UL Desk Battery Charger

ML1320112
Electronics

ML1341000
Battery NiMH 2.2 Ah 26.4 V

* *Specification is subject to change without notice.*

Molift Smart

ML2013004
Hand Control

ML1340100
UL Desk Battery Charger

ML541000
NiMH Battery

ML0920112
Circuit Board (old style)*

ML0920113
Circuit Board (new style)*

* *Specification is subject to change without notice.*
*** *Check Serial Number for compatibility.*

Molift QuickRaiser 2+

ML2013004
Hand Control

ML1340100
UL Desk Battery Charger

EASYRAISER SLINGS

ML3019000-Small
ML3019001-Medium
ML3019002-Large
ML3019004-XLarge



ML1320112
Electronics

ML541000
NiMH Battery

* *Specification is subject to change without notice.*

Floor Hoist Linak Parts

DISCONTINUED

OMEGA 300

DISCONTINUED

Q-STAND

LINAK-BAJI
Jumbo Battery Pack

FM953900054
Linak Control Box

Linak-CHJ2
Wall mounted charger
UL/CSA

PMELE009
Omega Actuator Lift Arm

FM853900077
Handset 4-button

** Specification is subject to change without notice.*

MADE IN USA